



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/817,519

04/02/2004

Tadamitsu Sato

9281-4800

4866

7590 07/02/2008
Brinks Hofer Gilson & Lione
P.O. Box 10395
Chicago, IL 60610

EXAMINER

CHOWDHURY, AFROZA Y

ART UNIT

PAPER NUMBER

2629

MAIL DATE

DELIVERY MODE

07/02/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/817,519	Applicant(s) SATO ET AL.	
	Examiner AFROZA Y. CHOWDHURY	Art Unit 2629	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 April 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 and 5-10 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3 and 5-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. Applicant's amendment received on **April 8, 2008** has been entered. Claims 1-3 and 5-10 are currently pending. Applicant's request for continued examination is addressed below.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1–10 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Fujiwara et al.** (US 2003/0102875) in view of **Kasai** (US Patent 6,545,614).

As to claim 1, Fujiwara et al. discloses an input device comprising:

a plurality of electrodes arranged in a circumferential direction at equal intervals and having a predetermined area (abstract, fig. 6-8, [0008], [0052] – [0054]);

an insulating sheet laminated on surfaces of the respective electrodes ([0010] – [0011], [0041]); and

capacitance detecting means provided for each electrode so as to detect from the respective electrodes when a variation in capacitance formed between the

Art Unit: 2629

respective electrodes and a portion of the human body which faces the electrode in spaces between the respective electrodes when a portion of the human body is adjacent to or in contact with an external surface of the insulating sheet (fig. 4, [0012], [0019], [0045], [0048] – [0049], [0066], [0067]);

wherein the capacitance detecting means detects a variation of a facing area between one of the electrodes and the portion of the human body ([0045], [0048] – [0049]).

Fujiwara et al. does not explicitly teach a clock signal generating means, signal delay means having a time constant CR, and a control unit.

Kasai teaches the capacitance detecting means comprising a clock signal generating (figs. 1(101), 2(1)) means for continuously generating a pulse signal composed of a predetermined frequency (col. 1, lines 20-21, col. 3, lines 17-25),

a signal delay means having a time constant CR defined by a product of the capacitance C (fig. 3(C4)) formed between the resistive electrodes and the portion of the human body and a resistor R (fig. 3(R5)) connected between the clock signal generating means and the capacitance C (col. 3, lines 31-47), and

a control unit (fig. 1(104)) that receives a detection signal from the capacitance detecting means to detect switching due to approach or contact of a portion of the human body to each electrode (col. 1, lines 25-27).

Therefore, it is obvious to one skill in the art at the time of the invention was made to combine Kasai's touch sensor with the input device of Fujiwara et al. to make a rotary input device in order to detect touch of a human finger for various application.

As to claim 2, Fujiwara et al. teaches a plurality of electrodes arranged in a circumferential direction at equal intervals and having a predetermined area (abstract, fig. 6-8, [0008], [0052] – [0054]);

He does not teach clock signal generating means for generating a clock signal, and delay means for delaying the clock signal according to the capacitance detected from the electrode when the human body is adjacent to or in contact with the external surface of the insulating sheet.

Kasai teaches the capacitance detecting means comprises: clock signal generating for generating a clock ((figs. 1(101), 2(1), col. 1, lines 20-21, col. 3, lines 17-25),

delay means for delaying the clock signal according to the capacitance detected from the electrode when a portion of the human body is adjacent to or in contact with an external surface of the insulating sheet (figs. 3, 5, col. 3, lines 31-47),

smoothing means for generating a smoothed signal according to a delayed amount, based on the clock signal which does not pass through the delay means (col. 7, lines 51-59), and

A/D converting means for analog-to-digital converting the smoothed signal according to an amount of the variation of capacitance ((fig. 26(7)).

Therefore, it is obvious to one skill in the art at the time of the invention was made to combine Kasai's touch sensor with the input device of Fujiwara et al. to make a rotary input device in order to detect touch of a human finger.

As to claim 3, Fujiwara et al. (as modified by Kasai) teaches an input device where the delay means, the smoothing means, and the A/D converting means are provided in each of the plurality of electrodes, respectively (fig. 26).

As to claim 5, Fujiwara et al. discloses an input device wherein the capacitance detecting means detects a time when the electrode faces the portion of the human body (fig. 4, [0059], [0066]).

As to claim 6, Fujiwara et al. teaches an input device wherein detecting means detects switching information on the plurality of electrodes simultaneously tapped ([0048] – [0049]).

As to claims 7, Fujiwara et al. discloses an input device wherein portions of the surface of the insulating sheet that are opposite to the electrodes are concaved or convexed from the surface of the insulating sheet (fig. 10, [0058]).

As to claims 8, Fujiwara et al. teaches an input device wherein an entire operation region in which the plurality of electrodes is provided is concaved or convexed from regions other than the operation regions (fig. 10, [0058]).

As to claim 9, Fujiwara et al. discloses an input device wherein marks for indicating positions of the respective electrodes are printed on the surface of the insulating sheet ([0046]).

As to claim 10, Fujiwara et al. teaches an input device wherein a region in which the plurality of electrodes is formed is provided with a rotating body rotating around a center of thereof (fig. 6-8, [0009], [0052] – [0054]).

Response to Arguments

4. Applicant's arguments filed **April 8, 2008** have been fully considered but they are not persuasive.

On the 1st page of remarks, 3rd paragraph, Applicants' argue, "Fujiwarwa et al. fails to teach or suggest, "capacitance detecting means provided for each electrode so as to detect from the respective electrodes a variation in capacitance formed ... when a portion of the human body is adjacent or in contact with an external surface of the insulating sheet"". Examiner respectfully disagrees to this statement.

Fujiwara clearly teaches "capacitance detecting means provided for each electrode so as to detect from the respective electrodes a variation in capacitance formed ... when a portion of the human body is adjacent or in contact with an external surface of the insulating sheet" (see, figs. 1, 4, [0045], [0048] – [0049], [0066]).

On the 3rd page of remarks, 3rd paragraph, Applicants' argue that Kasai fails to remedy the shortcomings of Fujiwara et al. ... Kasai makes no mention of an input device having configuration and function as taught by claim 1. However, Kasai discloses a touch sensor that is able to detect the touch of a finger (see abstract, col. 3, lines 13-45). Fujiwara et al. (as modified by Kasai) teaches an input device having configuration and function as taught by claim 1 (see above rejection).

5. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to AFROZA Y. CHOWDHURY whose telephone number is (571)270-1543. The examiner can normally be reached on 7:30-5:00 EST, 5/4/9.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bipin Shalwala can be reached on 571-272-7681. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AC
6/26/2008
/Bipin Shalwala/

Supervisory Patent Examiner, Art Unit 2629